Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD

G. Attardi
P. Berg
S. Bernhard
J. E. Darnell
G. Felsenfeld
J. Hurwitz
H. E. Huxley
A. D. Kaiser
A. Klug
O. Maaløe
A. Novick
G. E. Palade
D. C. Phillips
L. Stryer
C. Thomas
A. Tissières
J. Wyman

LIBRARY USE ONLY

UNIVERSITY OF HAWAII
LIBRARY

VOLUME 42
28 May 1969 to 28 June 1969

ACADEMIC PRESS
LONDON and NEW YORK

Copyright © 1969, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 42

NUMBER 1, 28 MAY 1969

LOWEY, S., SLAYTER, H. S., WEEDS, A. G. and BAKER, H., Substructure of the Myosin Molecule. I. Subfragments of Myosin by Enzymic Degradation . 1

PAUL, J. and HUNTER, J. A., Synthesis of Macromolecules during Induction of Haemoglobin Synthesis by Erythropoietin 31

BERNHARDT, D. and DARNELL, J. E., JR., tRNA Synthesis in HeLa Cells: A Precursor to tRNA and the Effects of Methionine Starvation on tRNA Synthesis 43

BRAVERMAN, A. S. and BANK, A., Changing Rates of Globin Chain Synthesis during Erythroid Cell Maturation in Thalassemia 57

BROWNE, W. J., NORTH, A. C. T., PHILLIPS, D. C., BREW, K., VANAMAN, T. C. and HILL, R. L., A Possible Three-dimensional Structure of Bovine α-Lactalbumin based on that of Hen's Egg-White Lysozyme . . . 65

KIM, S-H. and RICH, A., A Non-complementary Hydrogen-bonded Complex containing 5-Fluorouracil and 1-Methylcytosine 87

SUGIYAMA, T., STONE, H. O., JR. and NAKADA, D., Protein Synthesis directed by an Amber Coat-Protein Mutant of the RNA Phage MS2 . . . 97

Appendix—KATZE, J. and KONIGSBERG, W., Position of the Amber Mutation in the MU9 Coat Protein 115

TIKCHONENKO, T. I. and DOBROV, E. N., Peculiarities of the Secondary Structure of Bacteriophage DNA *in situ*. II. Reaction with Formaldehyde . . 119

LETTERS TO THE EDITOR

CARRAWAY, K. L., SPOERL, P. and KOSHLAND, D. E., JR., Carboxyl Group Modification in Chymotrypsin and Chymotrypsinogen . . . 133

LARK, K. G. and LARK, C. A., Breakdown of DNA during Growth of *Escherichia coli* 15T⁻ in Ethionine: Lack of Correlation with Strand Polarity 139

MIN JOU, W., FIERS, W., GOODMAN, H. and SPAHR, P., Allocation of Polypurine Tracts to Two Fragments of Bacteriophage MS2 RNA . . 143

ERRATUM 147

ANNOUNCEMENT 149

Number 2, 14 June 1969

Iaccarino, M. and Berg, P., Requirement of Sulfhydryl Groups for the Catalytic and tRNA Recognition Functions of Isoleucyl-tRNA Synthetase 151

Yarus, M. and Berg, P., Recognition of tRNA by Isoleucyl-tRNA Synthetase. Effect of Substrates on the Dynamics of tRNA–Enzyme Interaction . 171

Spatz, H.-CH. and Crothers, D. M., The Rate of DNA Unwinding . . 191

Lark, K. G. and Renger, H., Initiation of DNA Replication in *Escherichia coli* 15T⁻: Chronological Dissection of Three Physiological Processes required for Initiation 221

Losick, R., Isolation of a Trypsin-sensitive Inhibitor of O-antigen Synthesis involved in Lysogenic Conversion by Bacteriophage ϵ^{15} 237

Adamson, S. D., Herbert, E. and Kemp, S. F., Effects of Hemin and Other Porphyrins on Protein Synthesis in a Reticulocyte Lysate Cell-free System 247

Kaerner, H. C., Translation Control of Viral RNA in *Escherichia coli* . . 259

Sneider, T. W. and Potter, V. R., Methylation of Mammalian DNA: Studies on Novikoff Hepatoma Cells in Tissue Culture 271

Gersonde, K., Elektronenstruktur der prosthetischen Gruppe und Tertiärstruktur in Hämoproteiden. II. pH-abhängige Hämoglobin(III)–Dodecylsulfat-Assoziate 285

Blackstein, M. E., Stanners, C. P. and Farmilo, A. J., Heterogeneity of Polyoma Virus DNA: Isolation and Characterization of Non-infectious Small Supercoiled Molecules 301

Luzzatto, L., Apirion, D. and Schlessinger, D., Polyribosome Depletion and Blockage of the Ribosome Cycle by Streptomycin in *Escherichia coli* . 315

Banerjee, R. and Cassoly, R., Preparation and Properties of the Isolated α and β Chains of Human Hemoglobin in the Ferri State. Investigation of Oxidation–Reduction Equilibria 337

Banerjee, R. and Cassoly, R., Oxygen Equilibria of Human Hemoglobin Valency Hybrids. Discussion on the Intrinsic Properties of α and β Chains in the Native Protein 351

Suwalsky, M., Traub, W., Shmueli, U. and Subirana, J. A., An X-ray Study of the Interaction of DNA with Spermine 363

Letters to the Editor

Ebisuzaki, K., Role of Polynucleotide Ligase and DNA Polymerase in the Repair of DNA Damage 375

Blackwell, J., Sarko, A. and Marchessault, R. H., Chain Conformation in B-Amylose 379

NUMBER 3, 28 JUNE 1969

SLY, W. S. and RABIDEAU, K., Mechanism of $\lambda c_{17} cI$ Virulence . . . 385

KHESIN, R. B., SHEMYAKIN, M. F., GORLENKO, Zh. M., MINDLIN, S. Z. and ILYINA, T. S., Studies on the RNA Polymerase in *Escherichia coli* K12 using the Mutation affecting its Activity 401

AVADHANI, N-G., MEHTA, B. M. and REGE, D. V., Genetic Transformation in *Escherichia coli* 413

WEBSTER, R. E. and ZINDER, N. D., Fate of the Message–Ribosome Complex upon Translation of Termination Signals 425

FLAMM, W. G., WALKER, P. M. B. and MCCALLUM, M., Renaturation and Isolation of Single Strands from the Nuclear DNA of the Guinea Pig. . 441

HARRISON, S. C., Structure of Tomato Bushy Stunt Virus. I. The Spherically Averaged Electron Density 457

DUESBERG, P. H., Distinct Subunits of the Ribonucleoprotein of Influenza Virus 485

PTITSYN, O. B., Statistical Analysis of the Distribution of Amino Acid Residues among Helical and Non-helical Regions in Globular Proteins . . . 501

LEVINTHAL, M. and NIKAIDO, H., Consequences of Deletion Mutations joining Two Operons of Opposite Polarity 511

NASS, M. M. K., Mitochondrial DNA. I. Intramitochondrial Distribution and Structural Relations of Single- and Double-length Circular DNA . . 521

NASS, M. M. K., Mitochondrial DNA. II. Structure and Physicochemical Properties of Isolated DNA 529

EDGELL, M. H., HUTCHISON, C. A., III and SINSHEIMER, R. L., The Process of Infection with Bacteriophage ϕX174. XXVIII. Removal of the Spike Proteins from the Phage Capsid 547

KEDES, L. H. and GROSS, P. R., Synthesis and Function of Messenger RNA during Early Embryonic Development 559

SCHEFFLER, I. E. and STURTEVANT, J. M., Thermodynamics of the Helix–Coil Transition of the Alternating Copolymer of Deoxyadenylic Acid and Deoxythymidylic Acid 577

SAROV, I. and BECKER, Y., Trachoma Agent DNA 581

HUBER, R., EPP, O. and FORMANEK, H., The Environment of the Haem Group in Erythrocruorin (*Chironomus thummi*) 591

BRETSCHER, M. S., Direct Translation of Bacteriophage fd DNA in the Absence of Neomycin B 595

LETTERS TO THE EDITOR

KELLEY, W. S. and SCHAECHTER, M., Magnesium Ion-dependent Dissociation of Polysomes and Free 70 s Ribosomes in *Bacillus megaterium* . 599

DOBLER, M., DUNITZ, J. D. and KRAJEWSKI, J., Structure of the K^+ Complex with Enniatin B, a Macrocyclic Antibiotic with K^+ Transport Properties 603

ERRATA 607

Index to Volume 42

Adamson, S. D., Herbert, E. & Kemp, S. F., Effects of hemin and other porphyrins on protein synthesis in a reticulocyte lysate cell-free system, 247
Amber coat-protein mutant of RNA phage MS2, protein synthesis, 97
— — — —, position in phage MU9, 115
Amino acid residues, statistical analysis of distribution in helical and non-helical regions of globular proteins, 501
β-Amylose, chain conformation, 379
Antibiotic, enniatin B, structure of its complex with K^+, 603
O-Antigen synthesis, a trypsin-sensitive inhibitor involved in lysogenic conversion by bacteriophage ϵ^{15}, 237
Apirion, D. (see also Luzzatto, L.), 315
Avadhani, N. G., Mehta, B. M. & Rege, D. V., Genetic transformation in *Escherichia coli*, 413

Bacillus megaterium, magnesium-ion dependent dissociation of polysomes and free 70 s ribosomes, 599
Bacteriophage DNA *in situ*, reaction with formaldehyde, 119
— ϵ^{15}, isolation of a trypsin-sensitive inhibitor of O-antigen synthesis involved in lysogenic conversion by phage ϵ^{15}, 237
— fd DNA, direct translation in the absence of neomycin B, 595
— $\lambda c_{17}cI$ virulence, the mechanism, 385
— MS2, protein synthesis directed by an amber coat-protein mutant, 97
— — RNA, allocation of polypurine tracts to two fragments, 143
— MU9, position of amber mutation in coat protein, 115
— ϕX174, infection process, removal of the spike proteins from the phage capsid, 547
Baker, H. (see also Lowey, S.), 1
Banerjee, R. & Cassoly, R., Oxygen equilibria of human hemoglobin valency hybrids. Discussion on the intrinsic properties of α and β chains in the native protein, 351
— & —, Preparation and properties of the isolated α- and β-chains of human hemoglobin in the ferri state. Investigation of oxidation–reduction equilibria, 337
Bank, A. (see also Braverman, A. S.), 57
Becker, Y. (see also Sarov, I.), 581
Berg, P. (see also Iaccarino, M.), 151
— (see also Yarus, M.), 171
Bernhardt, D. & Darnell, J. E., Jr., Transfer RNA synthesis in HeLa cells: a precursor to tRNA and the effects of methionine starvation on tRNA synthesis, 43
Blackstein, M. E., Stanners, C. P. & Farmilo, A. J., Heterogeneity of polyoma virus DNA: isolation and characterization of non-infectious small supercoiled molecules, 301
Blackwell, J., Sarko, A. & Marchessault, R. H., Chain conformation in B-amylose, 379
Bovine α-lactalbumin, a possible three-dimensional structure based on that of hen's egg-white lysozyme, 65
Braverman, A. S. & Bank, A., Changing rates of globin chain synthesis during erythroid cell maturation in thalassemia, 57
Bretscher, M. S., Direct translation of bacteriophage fd DNA in the absence of neomycin B, 595
Brew, K. (see also Browne, W. J.), 65
Browne, W. J., North, A. C. T., Phillips, D. C., Brew, K., Vanaman, T. C. & Hill, R. L., A possible three-dimensional structure of bovine α-lactalbumin based on that of hen's egg-white lysozyme, 65

Capsid of bacteriophage ϕX174, removal of spike proteins during the infection process, 547
Carboxyl group modifications in chymotrypsin and chymotrypsinogen, 133
Carraway, K. L., Spoerl, P. & Koshland, D. E., Jr., Carboxyl group modification in chymotrypsin and chymotrypsinogen, 133
Cassoly, R. (see also Banerjee, R.), 337, 351
Chymotrypsin and chymotrypsinogen, carboxyl group modifications, 133
Crothers, D. M. (see also Spatz, H. -CH.), 191

Darnell, J. E., Jr. (see also Bernhardt, D.), 43
Deoxyadenylic acid, thermodynamics of the helix–coil transition of the alternating copolymer, 577
Deoxyribonucleic acid breakdown during growth of *Escherichia coli* 15T⁻ in ethionine, lack of correlation with strand polarity, 139
— — damage, role of polynucleotide ligase and DNA polymerase in repair, 375
— —, direct translation of bacteriophage fd DNA in the absence of neomycin B, 595
— —, guinea pig, nuclear, renaturation and isolation of single strands, 441
— — interaction with spermine, an X-ray study, 363
— —, intramitochondrial distribution and structural relations of single and double-length circular DNA, 521
— —, mammalian, methylation studied in Novikoff hepatoma cells in tissue culture, 271
— —, mitochondrial, structure and physicochemical properties of isolated DNA, 529
— — of bacteriophage, *in situ* reaction with formaldehyde, 119
— — — polyoma virus, isolation and characterization of non-infectious, small supercoiled molecules, 301
— —, rate of unwinding, 191
— — replication in *Escherichia coli* 15T⁻, chronological dissection of three physiological processes required for initiation, 221
— —, trachoma agent, 581
Deletion mutations joining two operons of opposite polarity, consequences, 511
Dobler, M., Dunitz, J. D. & Krajewski, J., Structure of the K^+ complex with enniatin B, a macrocyclic antibiotic with K^+ transport properties, 603
Dobrov, E. N. (see also Tikchonenko, T. I.), 119
Duesberg, P. H., Distinct subunits of the ribonucleoprotein of influenza virus, 485
Dunitz, J. D. (see also Dobler, M.), 603

ϵ^{15} (see Bacteriophage)
Ebisuzaki, K., On the role of polynucleotide ligase and DNA polymerase in the repair of DNA damage, 375
Edgell, M. H., Hutchison, C. A. III & Sinsheimer, R. L., The process of infection with bacteriophage ϕX174 XXVIII. Removal of the spike proteins from the phage capsid, 547
Electron density, spherically averaged, of tomato bushy stunt virus, 457
Enniatin B, a macrocyclic antibiotic with K^+ transport properties, structure of its complex with K^+, 603
Epp, O. (see also Huber, R.), 591
Erythrocruorin (*Chironomus thummi*), environment of the haem group, 591
Erythroid cell maturation in thalassemia, changing rates of globin chain synthesis, 57
Erythropoietin induction of haemoglobin synthesis, synthesis of macromolecules, 31
Escherichia coli 15T⁻, breakdown of DNA during growth in ethionine, lack of correlation with strand polarity, 139
— — —, chronological dissection of three physiological processes required for initiation of DNA replication, 221
— —, genetic transformation, 413
— —, K12, studies on the RNA polymerase using the mutation affecting its activity, 401
— —, polyribosome depletion and blockage of the ribosome cycle by streptomycin, 315
— —, translation control of viral RNA, 259
Ethionine, breakdown of DNA during growth of *Escherichia coli* 15T⁻ in ethionine, lack of correlation with strand polarity, 139

fd (see Bacteriophage)
Farmilo, A. J. (see also Blackstein, M. E.), 301
Ferri-state of isolated α and β chains of human hemoglobin, oxidation–reduction equilibria, 337
Fiers, W. (see also Min Jou, W.), 143
Flamm, W. G., Walker, P. M. B. & McCallum, M., Renaturation and isolation of single strands from the nuclear DNA of the guinea pig, 441
5-Fluorouracil and 1-methylcytosine, a non-complementary hydrogen-bonded complex, 87
Formaldehyde, reaction with bacteriophage DNA *in situ*, 119
Formanek, H. (see also Huber, R.), 591

Genetic transformation in *Escherichia coli*, 413
Gersonde, K., Elektronenstruktur der prosthetischen Gruppe und Tertiärstruktur in Hämoproteiden. II. pH-abhängige Hämoglobin (III)–Dodecylsulfat Assoziate, 285

Globin chain synthesis rate change during erythroid cell maturation in thalassemia, 57
Goodman, H. (see also Min Jou, W.), 143
Gorlenko, Zh. M. (see also Khesin, R. B.), 401
Gross, P. R. (see also Kedes, L. H.), 559
Guinea pig DNA, nuclear renaturation and isolation of single strands, 441

Haem group environment in erythrocruorin (*Chironomus thummi*), 591
Haemoglobin, human, oxygen equilbria of valency hybrids, intrinsic properties of α and β chains in the native protein, 351
—, human, preparation of isolated α and β in the ferri state and investigation of oxidation–reduction equilibria, 337
—, pH-dependent haemoglobin III–dodecyl sulphate complex, 285
— synthesis induction by erythropoietin, synthesis of macromolecules, 31
Harrison, S. C., Structure of tomato bushy stunt virus. I. The spherically-averaged electron density, 457
HeLa cells, presence of a precursor to tRNA and the effects of methionine starvation on tRNA synthesis, 43
Helical and non-helical regions of globular proteins, statistical analysis of amino acid residue distribution, 501
Helix–coil transition of the alternating copolymer of deoxyadenylic acid, 577
Hemin and other porphyrins, effects on protein synthesis in a reticulocyte lysate cell-free system, 247
Herbert, E. (see also Adamson, S. D.), 247
Hill, R. L. (see also Browne, W. J.), 65
Huber, R., Epp, O. & Formanek, H., Environment of the haem group in erythrocruorin (*Chironomus thummi*), 591
Hunter, J. A. (see also Paul, J.), 31
Hutchison, C. A. III (see also Edgell, M. H.), 547

Iaccarino, M. & Berg, P., Requirement of sulfhydryl groups for the catalytic and tRNA recognition functions of isoleucyl-tRNA synthetase, 151
Ilyina, T. S. (see also Khesin, R. B.), 401
Influenza virus, distinct subunits of the ribonucleoprotein, 485
Isoleucyl-tRNA synthetase, effect of substrates on the dynamics of interaction with tRNA, 171
— — —, requirement of sulfhydryl groups for the catalytic and tRNA recognition functions, 151

Kaerner, H. C., Translation control of viral RNA in *Escherichia coli*, 259
Katze, J. & Konigsberg, W., Position of the amber mutation in phage MU9 coat protein, 115
Kedes, L. H. & Gross, P. R., Synthesis and function of messenger RNA during early embryonic development, 559
Kelley, W. S. & Schaechter, M., Magnesium-ion dependent dissociation of polysomes and free 70 s ribosomes in *Bacillus megaterium*, 599
Kemp, S. F. (see also Adamson, S. D.), 247
Kim, S-H. & Rich, A., A non-complementary hydrogen-bonded complex containing 5-fluorouracil and 1-methylcytosine, 87
Khesin, R. B., Shemyakin, M. F., Gorlenko, Zh. M., Mindlin, S. Z. & Ilyina, T. S., Studies on the RNA polymerase in *Escherichia coli* K12 using the mutation affecting its activity, 401
Konigsberg, W. (see also Katze, J.), 115
Koshland, D. E., Jr. (see also Carraway, K. L.), 133
Krajewski, J. (see also Dobler, M.), 603

λ (see Bacteriophage)
α-Lactalbumin, bovine, a possible three-dimensional structure based on that of hen's egg-white lysozyme, 65
Lark, C. A. (see also Lark, K. G.), 139
Lark, K. G. & Lark, C. A., Breakdown of DNA during growth of *Escherichia coli* 15T⁻ in ethionine: lack of correlation with strand polarity, 139
— & Renger, H., Initiation of DNA replication in *Escherichia coli* 15T⁻: chronological dissection of three physiological processes required for initiation, 221
Levinthal, M. & Nikaido, H., Consequences of deletion mutations joining two operons of opposite polarity, 511

Losick, R., Isolation of a trypsin-sensitive inhibitor of O-antigen synthesis involved in lysogenic conversion by bacteriophage ϵ^{15}, 237
Lowey, S., Slayter, H. S., Weeds, A. G. & Baker, H., Substructure of the myosin molecule I. Subfragments of myosin by enzymic degradation, 1
Luzzatto, L., Apirion, D. & Schlessinger, D., Polyribosome depletion and blockage of the ribosome cycle by streptomycin in *Escherichia coli*, 315
Lysozyme, a possible three-dimensional structure of bovine α-lactalbumin based on that of hen's egg-white lysozyme, 65

MS2 (see Bacteriophage)
MU9 (see Bacteriophage)
Magnesium ion-dependent dissociation of polysomes and free 70 s ribosomes in *Bacillus megaterium*, 599
Marchessault, R. H. (see also Blackwell, J.), 379
McCallum, M. (see also Flamm, W. G.), 441
Mehta, B. M. (see also Avadhani, N. G.), 413
Message–ribosome complex, fate upon translation of termination signals, 425
Messenger RNA, synthesis and function during early embryonic development, 559
Methionine starvation, effect on tRNA synthesis in HeLa cells, 43
Methylation of mammalian DNA: studies on Novikoff hepatoma cells in tissue culture, 271
1-Methylcytosine and 5-fluorouracil, a non-complementary hydrogen-bonded complex, 87
Mindlin, S. Z. (see also Khesin, R. B.), 401
Min Jou, W., Fiers, W., Goodman, H. & Spahr, P., Allocation of polypurine tracts to two fragments of bacteriophage MS2 RNA, 143
Mitochondrial DNA, intramitochondrial distribution and structural relations of single and double-length circular DNA, 521
— —, structure and physicochemical properties of isolated DNA, 529
Myosin, subfragments by enzymic degradation, 1

Nakada, D. (see also Sugiyama, T.), 97
Nass, M. M. K., Mitochondrial DNA. I. Intramitochondrial distribution and structural relations of single and double-length circular DNA, 521
—, — —. II. Structure and physicochemical properties of isolated DNA, 529
Neomycin B, direct translation of bacteriophage fd DNA in its absence, 595
Nikaido, H. (see also Levinthal, M.), 511
North, A. C. T. (see also Brown, W. J.), 65
Novikoff hepatoma cells in tissue culture, studies on methylation of mammalian DNA, 271

Operons of opposite polarity, effect of joining by deletion mutations, 511
Oxidation–reduction equilibria between isolated α and β chains of human hemaglobin in the ferri state, 337
Oxygen equilibria of human hemoglobin valency hybrids, intrinsic properties of α and β chains in the native protein, 351

φX174 (see Bacteriophage)
Paul, J. & Hunter, J. A., Synthesis of macromolecules during induction of haemoglobin synthesis by erythropoietin, 31
Phillips, D. C. (see also Browne, W. J.), 65
Polynucleotide ligase and DNA polymerase, role in the repair of DNA damage, 375
Polyoma virus DNA, isolation and characterization of non-infectious small supercoiled molecules, 301
Polypurine tracts allocated to two fragments of bacteriophage MS2 RNA, 143
Polyribosome depletion and blockage of the ribosome cycle by streptomycin in *Escherichia coli*, 315
Polysomes, magnesium-ion dependent dissociation in *Bacillus megaterium*, 599
Porphyrins, effects on protein synthesis in a reticulocyte lysate cell-free system, 247
Potassium ion complex with enniatin B, structure, 603
Potter, V. R. (see also Sneider, T. W.), 271
Protein synthesis, effects of hemin and other porphyrins in a reticulocyte lysate cell-free system, 247
Ptitsyn, O. B., Statistical analysis of the distribution of amino acid residues among helical and non-helical regions in globular proteins, 501

Rabideau, K. (see also Sly, W. S.), 385
Rege, D. V. (see also Avadhani, N. G.), 413
Renger, H. (see also Lark, K. G.), 221
Replication of DNA in *Escherichia coli* 15T⁻, chronological dissection of three physiological processes required for initiation, 221
Reticulocyte lysate cell-free system, effects of hemin and other porphyrins on protein synthesis, 247
Ribonucleic acid, messenger, synthesis and function during early embryonic development, 559
— — phage MS2, protein synthesis directed by an amber coat-protein mutant, 97
— — polymerase studied in *Escherichia coli* K12 using the mutation affecting its activity, 401
— —, transfer, a precursor and the effects of methionine starvation on tRNA synthesis in HeLa cells, 43
— —, —, dynamics of interaction with isoleucyl-tRNA synthetase, effect of substrates, 171
— —, —, the requirement of sulfhydryl groups for the catalytic and tRNA recognition functions, of isoleucyl-tRNA synthetase, 151
— —, viral, translation control in *Escherichia coli*, 259
Ribonucleoprotein of influenza virus, distinct subunits, 485
Ribosome cycle blockage and polyribosome depletion by streptomycin in *Escherichia coli*, 315
— — message complex, fate upon translation of termination signals, 425
Ribosomes, free 70 s, magnesium-ion dependent dissociation in *Bacillus megaterium*, 599
Rich, A. (see also Kim, S-H.), 87

Sarko, A. (see also Blackwell, J.), 379
Sarov, I. & Becker, Y., Trachoma agent DNA, 581
Schaechter, M. (see also Kelley, W. S.), 599
Scheffler, I. E. & Sturtevant, J. M., Thermodynamics of the helix–coil transition of the alternating copolymer of deoxyadenylic acid, 577
Schlessinger, D. (see also Luzzatto, L.), 315
Shemyakin, M. F. (see also Khesin, R. B.), 401
Shmueli, U. (see also Suwalsky, M.), 363
Sinsheimer, R. L. (see also Edgell, M. H.), 547
Slayter, H. S. (see also Lowey, S.), 1
Sly, W. S. & Rabideau, K., The mechanism of $\lambda c_{17}c1$ virulence, 385
Sneider, T. W. & Potter, V. R., Methylation of mammalian DNA: studies on Novikoff hepatoma cells in tissue culture, 271
Spahr, P. (see also Min Jou, W.), 143
Spatz, H. -CH. & Crothers, D. M., The rate of DNA unwinding, 191
Spermine interaction with DNA, an X-ray study, 363
Spike proteins from bacteriophage ϕX174 capsid removal during the infection process, 547
Spoerl, P. (see also Carraway, K. L.), 133
Stanners, C. P. (see also Blackstein, M. E.), 301
Statistical analysis of the distribution of amino acid residues among helical and non-helical regions in globular proteins, 501
Stone, H. O., Jr. (see also Sugiyama, T.), 97
Streptomycin, polyribosome depletion and blockage of the ribosome cycle by streptomycin in *Escherichia coli*, 315
Sturtevant, J. M. (see also Scheffler, I. E.), 577
Subirana, J. A. (see also Suwalsky, M.), 363
Sugiyama, T., Stone, H. O., Jr. & Nakada, D., Protein synthesis directed by an amber coat-protein mutant of the RNA phage MS2, 97
Sulfhydryl groups required for the catalytic and tRNA recognition functions of isoleucyl–tRNA synthetase, 151
Suwalsky, M., Traub, W., Shmueli, U. & Subirana, J. A., An X-ray study of the interaction of DNA with spermine, 363

Thalassemia, changing rates of globin chain synthesis during erythroid cell maturation, 57
Thermodynamics of the helix–coil transition of the alternating copolymer of deoxyadenylic acid, 577
Tikchonenko, T. I. & Dobrov, E. N., Peculiarities of the secondary structure of bacteriophage DNA *in situ*. II. Reaction with formaldehyde, 119
Tomato bushy stunt virus structure, spherically-averaged electron density, 457
Trachoma agent DNA, 581

Transfer RNA, a precursor and the effects of methionine starvation on tRNA synthesis in HeLa cells, 43
— —, dynamics of interaction with isoleucyl-tRNA synthetase, effect of substrates, 171
— — recognition function of isoleucyl-tRNA synthetase, requirement of sulfhydryl groups, 151
Transformation, genetic, in *Escherichia coli*, 413
Translation control of viral RNA in *Escherichia coli*, 259
Traub, W. (see also Suwalsky, M.), 363
Trypsin-sensitive inhibitor of O-antigen synthesis involved in lysogenic conversion by bacteriophage ϵ^{15}, 237

Vanaman, T. C. (see also Browne, W. J.), 65
Viral RNA, translation control in *Escherichia coli*, 259
Virulence of $\lambda c_{17} cI$, mechanism, 385

Walker, P. M. B. (see also Flamm, W. G.), 441
Webster, R. E. & Zinder, N. D., Fate of the message–ribosome complex upon translation of termination signals, 425
Weeds, A. G. (see also Lowey, S.), 1

X-ray study of the interaction of DNA with spermine, 363

Yarus, M. & Berg, P., Recognition of tRNA by isoleucyl-tRNA synthetase. Effect of substrates on the dynamics of tRNA–enzyme interaction, 171

Zinder, N. D. (see also Webster, R. E.), 425